

7.3.6799.3447 [Update 2]

Released on Sep 4, 2023

Resolved issues

- **PACKRECORDER** Fixed a rare issue, where packages could cause a BSOD on a target system, caused by merging of registry node HKLM\System\CurrentControlSet. RPK-4811
- PACKRECORDER Fixed an issue with incorrect encoding of registry entries in generated *.laypkg files. RPK-4808

7.3.6797.3446 [Update 1]

Released on Feb 27, 2023

Improvements and new features

- PACKDESIGNER Improved performance of file deletion. RPK-4753
- PACKRECORDER Added a new checkbox to control whether the empty registry keys should be excluded from the conversion from RCP formats. RPK-4720
- More robust and secure way of saving RayFlow credentials and sharing the session between other RayPack Studio components.
 RF-4879

Resolved issues

- EASY PACK Fixed an issue, where Easy Pack could show a warning when creating a new blank MST project. RPK-4711
- MSIX Fixed an issue, where adding PSF fixup would not bootstrap the correct launcher. RPK-4708
- PACKWRAPPER Fixed various issues when switching between visual and advanced view. RPK-4696
- PACKLAYERING Fixed random issues with VHD handling when building Citrix AppLayering projects. RPK-4747 RPK-4684
- PACKDESIGNER Fixed an issue with setting of SIS languages, where a neutral language was always added next to the desired language code. RPK-4743
- PACKDESIGNER Fixed an issue, where an error would be shown when trying to export ICE validation results to PDF. RPK-4744
- MACOS Fixed an issue, where .rpx files could not be built after adding a new resource. RPK-4700

7.3.6780.3445 [RTM]

Released on Dec 2, 2022

Easy Package Creation with Easy Pack RPK-4607 RPK-4610

EasyPack is a new, interactive way of creating projects and setups with RayPack. It integrates most basic and advanced options in different packaging projects, providing a smooth and consistent experience. The goal of this new UI is to expose the most important information about the selected setup, present available paths and features, collect the necessary feedback in project-specific steps, and finally to crate a new project. The following scenarios are covered by EasyPack:

EasyPack

SELECT WHAT YOU WANT TO DO:

I have a setup I want to convert or modify package	>
I want to create new package	>
I do not have sources I want to find product in PackageStore	>

- Local repackaging
- Repackaging on a virtual machine
- Creating a blank project (MSI/MSIX)
- Creating a modification package (MSIX) or blank Windows Installer transform (MST)
- Creating packages with Package Store

EasyPack

SELECT PACKAGE:

Selected package C:\Program Files (x86)\RayPack\RayPack.exe

Product name:RayPackManufacturer:Raynet GmbHProduct version:7.2.6754.3834-493889788Type:Legacy

AVAILABLE OPTIONS:


C Repackage package Use selected machine to repackage machine	This machine \checkmark >
Wrap package Use PSAppDeployToolkit to wrap this package	>
Create Intune package Prepare package to deployment	>

Change

~


This new wizard can be used side-by-side of the already existing functionality. Also in this version, we reorganized the groups of projects in the New project menu to be better accessible and functionally related.





Package Store integration with 10K+ packages RPK-4538 RPK-4675

Relaunched Package Store platform offers several thousands of apps in 20K different versions, most of them with further configuration options. Package Store has a simple interface, which guides through the complete process, from automatic downloading of sources, through the configuration, to the package generation. The packages are deployment-ready and can be deployed to popular deployment systems, like Intune, SCCM or RMS UEM.



Once the automatic packaging is finished, the user still has the ability to continue editing the project using the Visual Designer component for PSADT projects.

Direct Deployment from PSADT and MSIX Projects to Intune RPK-3994 RPK-4521 RPK-4518

A new option for direct deployment has been added to our PSADT and MSIX project editors. This feature means, it is now possible to deployment from any Windows packaging project: MSI, MSIX and wrapped setup (PSADT).

_		- 🗆 🗙	
New → Open → Save	Deploy To deployment systems		
Save as	E Intune		
Build			
Deploy >			
Settings Exit			

Editing of MSI Environment Variables from the Component View RPK-4558

In PackDesigner, we added a new tab in the Component view. This context-aware view shows the list of environment variables assigned to a selected component and provides an easy way of adding a new content that should go to a specific component.

= FILE < 🏠 🖺 RAYPACK 🕸	O RASMOLMSI - PACKDESIGNER DEFAULT	RAYFLOW -
Create new Type to start searching D	component activesetup ⊘	
 Ø Data_Files Ø Environment_ Ø rasmol.hlp 	Condition:	
 raswin.exe RasWin.flg raswin.hlp RasWin_Files 	Reevaluate on repair PROPERTIES FEATURES ① FILES REGISTRY ② COM OPERATIONS DRIVER IN Create new	edit in condition builder
🥙 SW_RasWin	VourVariable ExampleValue[ACTION]	
TABLES FEATURES COMPONENTS CUSTOM ACT	ONS SEQUENCING UPGRADES USER INTERFACE	
۱		


Advanced Options for Signing and Timestamping RPK-4609

Based on popular feedback, we improved the signing dialog by adding a list of predefined public timestamp server, available for free. To support custom scenarios, the user can now also specify the digest algorithm used for timestamping. Finally, to make sure the configuration is accepted for MSIX packaging. a new button to test the settings is available. This means that signing issues related to timestamping can now be identified very early on, directly during the initial setup.

≡ FI	LE 🤇 🏠 🗎	RAYPACK	\$ 0	SETTINGS DEFAUL	r RAYFLOW	- 0	×
Ţ	Interface	Packa Sign usin	ge signing «				
8	Profiles		ta (default)				~
22	Resources	Digital ce	ertificate file (PF)	0			
	Projects	A digital		pfx) provided by a certification authority.			
0	Repackaging	A file tha		ditional certificate to add to the signature block. This field is optional.			
*	Designing						
Q	Conversion	Timestan		sign.com/tsa/r6advanced1	✓ Sha25	algorithm 6	~
	Deployment	mpy	incotonip.grouu	Test timestamp s			
	Virtual machines		are identifi	cation tag -22009 tags for MSI packages			
₽	Signing + tagging		ire Software Enti				
Û	RayFlow + Package		tor Name:	RayPack			
Ŷ	haynow + rackage.	Tag Creat	tor ID:	regid 2016-05.de.raynet.RayPack			
		Software	Creator Name:				
		Software	Creator ID:	regid.			
		Software	Licensor Name:				
		Software	Licensor ID:	regid			
				The registration identifier should be in a following format: regid.YYYY-MM.reversed.domain[.suffix], for example regid.2010-07.de.raynet			
						\bigcirc	\times

Ability to Edit Files and Scripts Directly from MSIX Project Editor RPK-4646

Editing files or scripts from any MSIX-based project has never been easier. In this version, there is an extra context-menu option to open any file in an editor of choice. RayPack does the heavy lifting and ensures the new content overwrites the existing one without timeconsuming manual decompression and compression of resources.




Name				*	Size
config.j	son				1149 B
Detection				1	
FileRec	+	Import file(s)	Ins		260 KB
FileRec	\times	Delete	Del		317 KB
	Ē	Rename	F2		
	P	Properties	Alt+Enter		
	Al	Edit with			
HIDE BA	ASE IT	TEMS NOT BELO	ONGING TO	O MODIFICATION PACKAGE	

Improvements and New Features for MSIX Projects RPK-4448

Based on popular demand, we implemented several new MSIX features, which can be now managed and edited using the visual designer:

- With the new **Fonts** page it is possible to register fonts.
- With the new Desktop app page it is possible to define in-depth behavior for apps that blend MSIX and classic deployment.
- The Dependencies page now supports driver dependencies and host runtime dependencies
- The Properties page now exposes options for multi-user awareness and file/registry write virtualization.
- The Applications page has now several extra options to set the runtime behavior, trust level and other in-depth settings for MSIX deployment.



Additionally, the structure of options in the main menu has been reorganized. Similar options are now grouped, and less-frequently used were moved to the Advanced group.

Repackaging to RPPX Format Is Now Available in PackBot RPK-4647

We added a new target format (RPPX) to the PackBot configuration dialog. RPPX is a project format for MSIX-based setups.

← BACK		РАСКВОТ	_ 🗆 🗙
			×
	GENERAL VIRTUAL MACHINE	ES EXIT CODE + LOGGING FILES	
	Project name:	RayPack	
	Installer file:	C:\Program Files (x86)\RayPack\RayPack.exe	
	Silent command line arguments:		
	Interaction mode:	🗌 Delay second snapshot 🕕	
	Reboot after installation:	Never	~
	Target format:	PackDesigner MSIX Project (.rppx)	~
		PackRecorder Delta (.rcp)	
		PackDesigner MSI Project (.rpp)	
		Windows Installer (.msi)	
		PackDesigner MSIX Project (.rppx)	
		MSIX Package (.msix)	
Help		App-V 4.6 (.sft)	> Cancel
- nop		App-V 5.x (.appv)	Cuncer
		Thin-App (.exe)	

Better Control of KeyPath Resources RPK-4659

Based on a popular feature request, we implemented new context menu options to provide a quick removal of component key paths. This new function is available on both, the global (Registry, Files + folders) and on the Component level. When a key path is removed, the empty key path (component directory) is used automatically according to MSI best practices.

Int Go to row + Import file(s) Ins Import file(s) Ins Import file(s) Ins Unset a key path Extract COM Information Replace Del Import file Properties Alt+Enter Output	A Nar	ne			Version	Attri	Size	C
Image: New file operation > Unset a key path	ラ Intu	-	Go to row					
Image: New file operation > Unset a key path		+	Import file(s)	Ins				
Extract COM Information Replace X Delete Del Imilian F2		Ē			>			
Replace X Delete Imilian Rename			Unset a key path					
Delete Del Imit Rename F2			Extract COM Informati	ion				
Ingli Rename F2			Replace					
		Х	Delete	Del				
Properties Alt+Enter		₫	Rename	F2				
		P	Properties	Alt	+Enter			
	GRC	OUP B	Y COMPONENTS					

Other Improvements

- In MSIX/RPPX projects, the build menu can be now accessed with the F7 hotkey. RPK-4640
- More options have been added to control the user interaction and UI of PSADT projects. RPK-4569
- Minor UI improvements of PackWrapper PSADT actions. RPK-4572 RPK-4568 RPK-4573
- Inline script editing in PSADT projects is now more convenient due to a bigger editing area. RPK-4552
- It is now possible to use the File > Save as functionality to save an MSIX project under a different name. RPK-4648
- PSADT projects (.ps1 format) can be now opened from the RayPack.exe command-line. RPK-4619
- Improved conversion of ODBC entries from RCP to App-V. RPK-4554 ZEN-19607
- Improved performance of INI file building from RCP projects. RPK-4525 ZEN-19356
- It is now possible to drag and drop Registry entries between local browser and project view. RPK-4533 ZEN-19608 ZEN-19608
- When importing a REG file with special MSI characters, RayPack now asks whether to treat them literally or as MSI properties. RPK-4534 ZEN-19309 ZEN-19608
- Pressing F1 (to open contextual help) now reuses previously opened windows. RPK-1974
- When importing an invalid . reg key, RayPack no longer creates an empty component for the new content. RPK-4577
- Updated bundled NSIS framework to version 3.08. RPK-4691

Resolved Issues

- Fixed the handling of the PSADT Resolve-Error ffunction and conversion to PowerShell. RPK-4483
- Fixed an issue, where the first or the second snapshot could fail while repackaging on a virtual machine. RPK-4547
- Resolved minor UI bugs and issues in the MSIX Designer. RPK-4463
- Fixed an issue, where the saving of the MST file for the second time could not complete. RPK-4527 RPK-4531 ZEN-19743
- Fixed the import of DLL containing multiple icons into an MSI project. RPK-3684
- Fixed not-working pinning of MSI apps to the taskbar. RPK-3761
- Fixed an issue with the command-line tool RpCmd.exe, where it was not possible to sign packages while converting from .rcp to .msi / .msix using the parameters -Certificate and -Password. RPK-4512 RPK-4520 RPK-4522
- Fixed an issue where COM TypeLib entries and registry keys could be duplicated in the UI after making manual changes in the Tables View. RPK-4519 RPK-4576 ZEN-19309 ZEN-19608
- Fixed an issue with the import of nested files structures in PSADT projects. RPK-4520
- Fixed a possible crash when removing a previously added fixup in the MSIX editor. RPK-4524

- Fixed the handling of parameters for the functions Get-InstalledApplication, Execute-MSI, Execute-Process and Remove-MSIApplications in PSADT projects. RPK-4529 RPK-4530 RPK-4535 RPK-4537
- Fixed an issue where packaging was not possible on machines where the Windows Defender feature was not installed. RPK-4542 ZEN-19577
- Fixed an issue with the MSI shortcut editor where some localized texts were overlapping the content. RPK-4545
- Fixed the adjustment of complex conditions after removing an MSI property with row tracking enabled. RPK-4578 ZEN-19309 ZEN-19608
- Fixed an UI issue with a missing description and an example of usage for PSADT functions. RPK-4559
- Fixed a warning shown when saving a PSADT project that removes a registry key. RPK-4595
- Fixed an issue with the creation of MST files from RCP projects. RPK-4596
- Fixed an exception when generating an executable bootstrapper for MSI projects. RPK-4591
- Fixed minor bugs with MSIX Registry handling (adding and removal). RPK-4601 RPK-4600
- Fixed an exception when changing signatures in the Build Options followed by starting an MSIX build. RPK-4604
- Fixed an issue with partially clipped buttons in the COM class properties dialog. RPK-4654 ZEN-19608
- Fixed the conversion of RCP to MSIX with empty multi-string Registry values. RPK-4617
- Fixed an exception when pressing CTRL + Z and typing paths to Visual Basic scripts in the Custom Action editor. RPK-4618
- Fixed issues with the removal of MSIX packages from PSADT files. RPK-4653
- Fixed the adding of scripts in MSIX projects. RPK-4636 RPK-4602
- Fixed various minor issues with registry importing which was not possible with some REG files. RPK-4655