

Raynet One Data Hub 2026.2

2026.2.8336.293 [Update 1]

Released on Jul 10, 2026

Raynet One Usage Metering RREP-1523

Data Hub now fetches Usage Metering data directly from the Raynet One 2026.2 and newer.

PowerShell Connector is now Cross-Platform RCP-477

PowerShell connector scripts can now run on Linux and macOS agents, not just Windows, alongside improved output data quality. Customers running mixed-OS agent fleets no longer need a Windows-only agent just for PowerShell-based collection.

Other Improvements

- The AWS RDS connector now supports the same authentication methods as the EC2 connector: ARN chain assumption, External ID, and WIF/OIDC federation. RCP-714
- In the recently added Deduplicator task, the “Deduplicate Detection Settings” has been renamed to “Detection Strategy” for clarity. Custom Detection Settings now includes a “Reset to pre-defined values” option. RREP-1518 RREP-1517
- AI Service Connector configuration now supports variables, with corrected field length limits for the AI model name and API key, making connector setups easier to reuse and parameterize across tasks. RREP-1550
- AWS connector libraries have been consolidated into a single shared library, ensuring consistent authentication behavior across EC2, S3, RDS, and Organizations connectors and speeding up future fixes across all of them. RCP-683
- Custom Python connector scripts can run on the current Python runtime. RCP-700
- Improved performance and reliability of the Microsoft Intune Reports connector. RCP-716
- Several improvements and optimizations of the deduplication engine. RREP-1516 RREP-1603 RREP-1605
RREP-1606 RREP-1515 RREP-1511 RREP-1459 RREP-1494 RREP-1547
- Deduplication now outputs legacy tables `result_accounts` and `result_inv_raw_msi`, giving customers migrating from classic Transformations a clean upgrade path with no data gaps. RREP-1583 RREP-1588
- The File Import Wizard for Container tasks now supports drag-and-drop upload alongside the existing file picker, with an improved layout. RREP-1416

- The Vulnerabilities dashboard now loads significantly faster by defaulting to CVEs scored 8 or higher; the filter can be cleared to see the full list. [RREP-1581](#)
- AI-related terms are now consistent across all supported languages and pages. [RREP-1427](#)
- The Offline Agent setup and task export flow now surfaces documentation links and automation hints in the UI, making it easier to discover that offline imports can be automated via the API. [RREP-1536](#)
- The current tenant is now pre-selected automatically when creating a new API key. [RREP-1542](#)
- A success notification is now shown when the Tenant ID is copied from the Agent Download Dialog. [RREP-1461](#)
- Improved behavior of generic Python connectors on hardened images. [RCP-701](#)
- Raynet One FileScans data is now included in Standard Data Transformation. [RREP-1268](#)
- Row selections are now cleared when a column filter changes. [RREP-1507](#)
- A warning is now shown when "Export selected data" is triggered with no rows selected. [RREP-1508](#)
- Redesigned the Group Permissions toolbar. [RREP-1506](#)
- It is now possible to delete assigned tasks from the Agent Details page. [RREP-1490](#)

Security Improvements

- Resolved three low-severity findings with Web Security Headers: insecure cache policy, missing [X-XSS-Protection](#) header, and insufficient HSTS expiration. HSTS [max-age](#) increased to 365 days. [RREP-1291](#) [RREP-1292](#) [RREP-1295](#)
- JSON Web Tokens now include all required protection claims. Weak hardcoded JWT secrets have been replaced with dynamically generated secrets, and a minimum secret strength is enforced at server startup. [RREP-1296](#) [RREP-1298](#)

Resolved Issues

- Fixed Data Admin role not being able to select connector types when adding tasks. [RREP-1532](#)
- Fixed task completion and validation for SQL and MariaDB target types; validation status color in the task list is now correct. [RREP-1502](#)
- Fixed auto-generated dataset names including disallowed characters such as hyphens. [RREP-1390](#)
- Connector-related fixes:
 - Fixed Workspace One connector reporting success when authentication fails. [RCP-710](#)
 - Fixed Qualys connector reporting success on failure. [RCP-703](#)
 - Fixed RHEL Satellite connector issues. [RCP-682](#)

- Fixed TeamViewer connector bearer token not being passed correctly. [RCP-735](#)
- Fixed EC2 connector AWS Account List being hidden on initial load. [RCP-709](#)
- Fixed BigQuery connector providing unspecific error messages on failure. [RCP-723](#)
- Fixed MS Entra ID connector returning empty fields. [RCP-681](#)
- Fixed MS Azure Consumption connector missing a configuration setting. [RCP-680](#)
- Fixed Intune connector app data retrieval by adding explicit page size to API requests. [RCP-690](#)
- Fixed Nexthink connector error messages not containing meaningful details. [RCP-704](#)
- Fixed Nutanix Prism connector providing a generic API error instead of a clear authentication failure message. [RCP-487](#)
- Fixed HubSpot connector not providing a clear error when invalid credentials are provided. [RCP-494](#)
- Fixed Adobe AC connector `IndexOutOfRangeException` exception when `LicenseQuantities` is empty. [RCP-638](#)
- Fixed VMware connector always reporting zero storage. [RCP-664](#)
- Fixed Data Hub becoming unresponsive when editing a Standardized Data Transformation task. [RREP-1533](#)
- Fixed certificate file browser not working when creating a task with a certificate input. [RREP-1492](#)
- Fixed inability to save a task after removing the certificate field value. [RREP-1480](#)
- Fixed incorrect `WrittenRows` and Difference values when "Cleanup Target Table" is disabled. [RREP-1428](#)
- Fixed "Run with Dependencies" button label being truncated in the run dropdown. [RREP-1491](#)
- Fixed Intune tasks and transformations using inconsistent naming. [RREP-1452](#)
- Fixed device transformation steps using a hardcoded data source ID instead of the actual source from Raynet One. [RREP-1528](#)
- Fixed Intune dashboards issues caused by a schema change and incorrect URL parameter injection. [RREP-1578](#)
- Fixed Container task API script examples not updating the mode parameter dynamically. [RREP-1488](#)
- Move to Parent button is now correctly shown for task folders. [RREP-1415](#)
- Fixed the dependency graph view not updating after a dependency is deleted. [RREP-1529](#) [RREP-1552](#)
- Fixed report export returning HTTP 403 for users with view-only permissions. [RREP-1575](#)
- Fixed shared report URLs with parameters failing to load due to double URL decoding. [RREP-1580](#)

- Fixed the Baseline Computers dashboard and improved performance for large row counts. RREP-1579
- Fixed performance issues for application-per-user and application-per-device tasks on MariaDB. RREP-1598
- Fixed the Technology Asset Inventory dashboard data query issues. RREP-1478
- Fixed a missing query in the Oracle DB transformation dashboard on MariaDB. RREP-1607
- Fixed Dashboard and Report pages generating spurious error logs when a report was closed mid-request. RREP-1495
- Fixed deleting an item on the Dashboards & Reports page incorrectly hiding the next item in the list. RREP-1539
- Fixed false positive CVEs shown in the Vulnerable Device report for devices with a higher (patched) software version. RREP-1526
- Fixed a sporadic import issue where the "Oracle Java Powered by Unified Data Platform" dashboard could import a broken task on MariaDB. RREP-1623
- Fixed column values being invisible in the Raw Data viewer when the column name contains a dot character. RREP-1432
- Fixed "Export all data" silently ignoring active column filters. RREP-1509
- Fixed column type detection and XLS file preview in the Container File Import Wizard. RREP-1420
- Fixed a UI freeze when double-clicking "Assign" with a non-existing username; an error message is now shown for invalid users. RREP-1474
- Fixed the "Recent Changes" dialog in Group Details always showing "There are no changes." RREP-1476
- Fixed a UI mismatch in the assigned users list on the Edit Tenant page. RREP-1376
- Fixed the tenant name in the header not updating until a page refresh after being changed. RREP-1514
- Fixed the `TenantId` not being resolved from the API Key for the offline agent import endpoint. RREP-1574
- Fixed a layout gap next to the Tenant ID copy button in Tenants. RREP-1566
- Fixed username not displaying correctly on the My Profile page. RREP-1534
- Fixed the `fetchViaAI` endpoint incorrectly rejecting requests for API keys with no table restrictions, which should grant access to all tables. RREP-1619
- Fixed Kerberos authentication for LDAP, which had stopped working on newer Windows versions. RREP-1527
- Fixed Last Connection information disappearing on the Agent Details page. RREP-1489


- Fixed agent container producing error messages caused by incorrect log configuration. RREP-1594
 - Fixed "Python path not found" error when Python is installed via a docker-compose entrypoint. RREP-1589
 - Fixed missing AWS connector libraries and dependencies in the agent MSI. RCP-725
 - Fixed MSI installation failing when using a custom IIS Application Pool Identity. RREP-1616
 - Fixed scheduler timezone inconsistency between interval value and next scheduled run. RREP-321
 - Fixed connector icon missing for unlicensed connectors in task edit and batch edit. RREP-1451
RREP-1455
 - Fixed "Export" button not translated in non-English languages on the Transformation Details page. RREP-1447
 - Fixed various minor localization issues. RREP-1449 RREP-1260 RREP-1462 RREP-1446 RREP-1505 RREP-1498 RCP-637
 - Fixed an error message incorrectly shown when deleting a folder. RREP-1414
 - Fixed user being redirected to last visited page instead of the homepage after re-login. RREP-1405
 - Fixed Task Details page producing a browser console error when opening. RREP-1530
 - Fixed Adobe AC RPA import using `org_id` instead of `organization_id`. RREP-1450
 - Fixed connector logos. RREP-1399 RREP-1562
 - Fixed import wizard not showing an error when database connection cannot be established. RREP-1486
 - Resolved property name errors and a UI freeze when clicking "Agree and continue." in the AI chat dialog. RREP-1510 RREP-1596
-

2026.2.8020.281 [RTM]

Released on Jun 5, 2026

AI Script, Query and Connector Generation RREP-524

Data Hub can now generate PowerShell, Python scripts and SQL commands using AI, based on the current data context.




Talk to Raynee and she will take care of everything, including scripts, APIs, connectors, and so on.

This removes the need to write collection and transformation scripts from scratch - analysts can describe what they need and get a working script they can run immediately or adjust.

AI-Assisted Report Designer RREP-1021


Report Designer now includes AI assistance. Users can describe what they want to see in plain language and get a working query without writing SQL or filter expressions manually.



Prompt-driven report editing.

LLM-Powered Data Transformation Connector RCP-361

Data Hub now connects to a Large Language Model platform - like OpenAI - in order to perform LLM-based transformation.



Select the input data, write your prompt and define your expectations, and the LLM will handle the transformation.


You can feed a Data Hub table as context, define the expected output schema, and write the results back as a dataset. This turns any LLM into a data processing step within your automation pipeline.

Sample use cases:

- Anomalies detection
- Generative AI (for example providing stand-in data)
- Transformation of data, described in a human-friendly way/

New Device / Software Deduplication Mechanism and UI RREP-1096

Data Hub 2026.2 introduces a new generation of data normalization. The previous Standard Data Transformation was a single large pipeline that processed everything - devices, software, users - through one rigid flow.



The configuration part is now domain-oriented, and less-table oriented.

The new approach splits this into two stages. First, each connector writes its data into a unified schema - a standardized intermediate table that all sources feed into using the same field definitions. Intune, SCCM, VMware vCenter, AWS EC2, AWS RDS, and others now each contribute a normalized record, regardless of how differently the raw source structures that data.


The second stage is a dedicated Deduplication connector that reads from those tables and merges records across sources into a single clean device, software, and user inventory. Duplicates across AD, Intune, SCCM and cloud sources are resolved automatically. Custom data sources that follow the L1 schema are supported too — not just the built-in connectors.

The practical result: organizations with data coming from multiple overlapping sources (typical in any hybrid environment) get a clean, deduplicated inventory without building custom transformation logic to handle the overlaps.

i While we are rolling out this feature in version 2026.2, it will not replace the classic approach immediately. For some time, both approaches will be able to coexist. When importing new dashboards for the first time, new users will be asked about the dominant transformation layer. Migrating users will have to add the task manually and reassess.

Task Management Redesign RREP-790 RREP-1194

This release includes a significant overhaul of the task configuration interface.



The new task editor, with consolidated options and clean overview.


The Configuration and Connection tabs have been consolidated into a single unified view, reducing the back-and-forth navigation that slowed down task setup. Several related improvements shipped alongside this:

- Connector list has now a filter input
- Connector types contain logo and description for easier look-ups
- Folder selection is now tree, and not a flat list
- Configuration and Connection tabs have been merged into a single Configuration
- Several options were moved to the Advanced section
- Additionally, the advanced settings now has a visual designer to control the snapshot policy.

RREP-1081

Reworked Container Tasks with Easier Integrations and Samples RREP-1272


Container tasks gain a public data upload endpoint and a new Programmability tab for script-level control. When a container task is created, a new Data Ingestion tab appears, explaining how to send data to the container and providing PowerShell and Python samples, as well as configuration options. Integrating third-party systems to push or replace data has never been easier.



The new editor and script generator.

Webhook Triggers and Mail Notifications RREP-1271 RREP-1182

Webhook triggers - tasks can now be fired by external systems via inbound webhooks, enabling event-driven automation without polling schedules. Task triggers can now be configured to fire on new, modified, and deleted rows, not just on task completion.



Trigger configuration.


There are many options to configure, for example:

- Inclusion of new/changed data (Excel, CSV) - e-mail only
- Trigger type - success, anomaly (failures or data validation), time-outs etc.
- Target groups / receivers

New Standard Dashboards: AI Capabilities and Export Compliance


A new standard dashboard shows which software in the environment contains AI components, how deeply AI is integrated (core feature vs. helper), and which tools fall under shadow AI. This supports organisations preparing for EU AI Act compliance and internal AI governance reviews.

RREP-753



A dashboard showing the breakdown of AI capabilities in your software portfolio.


Organizations subject to export compliance regulations can now report on ECCN classifications directly from Data Hub. RREP-1134



ECCN break-down.

OpenAI Connector - Platform Cost and Usage Tracking


A new connector collects API call volume, token consumption, and cost data from AI service providers. This gives IT and finance teams visibility into AI spend before it becomes a governance problem.



The new connector that pulls information about usage, completions, tokens consumptions etc.

Connector Categories and Grouping RREP-725

Connectors can be assigned categories and additional types, making large connector libraries easier to organize and filter.



Connectors are now categorized.

Other Improvements

- Standard Data Transformation now includes device relation data sourced from Raynet One, enabling richer cross-platform analysis. RREP-1188
- The agent now exposes an HTTP health check endpoint. Kubernetes liveness probes, load balancers, and uptime tools can query it directly without custom scripting. RREP-1218
- Folder selection dialogs now show a tree structure, making navigation practical in deep folder hierarchies. RREP-1082
- The API Key table now uses the a visual query builder for conditions and limited access.

- Multi-task "Move to parent" now works when multiple tasks are selected simultaneously. RREP-780
- New "Writing into database" progress state makes the final phase of long-running tasks visible instead of showing a stuck progress bar. RREP-1041
- Default GPT parameters in the LLM connector updated for improved response quality. RREP-1115
- Administrators can now choose specific tables instead of backing up everything, reducing backup size and improving restore precision. RREP-653
- API key table permissions are now respected by the AI/LLM layer - users can no longer run AI queries against tables they do not have access to. RREP-793
- Several new data points are available from the Technology Catalog connector in this release, supporting export compliance and richer software inventory:
 - Software records are now enriched with country of origin data from the catalog, supporting supply chain and trade compliance requirements. RREP-1138
 - Common Weakness Enumeration information is now parsed more accurately from catalog data. RREP-1090
 - Fingerprint distribution values are now sent as strings with updated OS enumeration, improving data consistency downstream. RREP-1214
- Several connector-related improvements:
 - Python
 - Ability to pass a script name directly as a parameter instead of configuring full paths. RCP-588
 - All Python connectors now use a shared logging class for consistent log output. RCP-587
 - Improved trusted store and certificate handling across Python-based connectors. RCP-530
 - Better error handling when the connector encounters file permission issues. RCP-460
 - Global bypass list is now respected. RCP-672
 - Microsoft 365: Certificate/private-key authentication added. RCP-596
 - Intune: Improved performance and various Quality of Life changes. RCP-200
 - Active Directory: Filter Active Directory task results by group membership, reducing irrelevant data from large directory structures. RCP-47
 - AWS EC2: Connect to AWS organisations with multiple sub-accounts without maintaining a manual account list. Sub-accounts are discovered and managed automatically. RCP-674 RCP-676
 - Technology Catalog, MSSQL, MariaDB and ODBC: Info tab added with default connection string pre-fill. RREP-1172

- Microsoft Entra ID, Citrix Session Monitoring, EasyProject, Coupa, Amazon RDS: Descriptive placeholder examples replacing generic "E.g." text in all configuration fields.

RCP-506 RCP-512 RCP-513 RCP-514 RCP-515 .

- Improvements and changes in standard reports and dashboards:
 - Installed Software, Devices By OS and OS Overview reports now include an Edition column. RREP-1223 RREP-1236
 - Standard report extended with country flags and language metadata.
 - Oracle Java Dashboard query adjusted to eliminate duplicate entries. RREP-1224
 - Duplicate device rows in the Hardware Overview resolved by pivoting catalog hardware data per device. RREP-1227
 - Dashboard e-mail feature now includes the full grid output in the exported PDF. RREP-658
- API Key dialog shows a confirmation message after the key is copied. RREP-504
- Transformation sources text input is no longer case-sensitive. RREP-735
- Logging now records which specific table failed to write, improving troubleshooting. RREP-1151
- Fallback added for "Combine and format OS data" step in Standard Data Transformation. RREP-1206
- Various grammar, punctuation and button-sizing polish across the interface. RREP-822 RREP-823 RREP-829 RREP-849 RREP-865 RREP-851 RREP-1342
- Improved performance of the Raw Data view. RREP-883
- Improved performance on the Task page with 150+ tasks shown at once. RREP-971

Security Improvements

- A critical authorization bypass vulnerability in the access control layer has been resolved. Affected installations should apply this release as a priority. RREP-1288
- The Cross-Origin Resource Sharing policy has been tightened to prevent unauthorized cross-origin requests. RREP-1293
- A misconfigured Content-Type response header has been corrected, reducing exposure to MIME sniffing attacks. RREP-1299
- Our Docker images now implement the USER instruction, enabling Data Hub containers to run as non-privileged users. This aligns with enterprise container security policies. RREP-1208
- Dependency updates resolve 94 vulnerabilities identified in frontend NPM packages. RREP-715
- Mesa and OpenSSL critical vulnerabilities in Docker images patched. RREP-1326

Resolved Issues

- Standard Data Transformation

- Office365 column `action` renamed to `action_m365` . `RREP-1335`
- Fixed issues with device relation deduplication in the Standard Data Transformation. `RREP-1269`
- Connector-specific fixes:
 - Atlassian Confluence: Fixed an issue where Group Members task returned success with no data. `RCP-576`
 - Google Workspace: Fixed an issue where "Success" was reported on failure. `RCP-495`
 - TeamViewer API: Fixed issues with SSL certificate validation. `RCP-604`
 - Proxmox: Fixed empty responses. `RCP-619`
 - OpenStack Nova: Fixed certificate verification. `RCP-673`
 - ServiceNow: Resolved incorrectly reported log levels. `RCP-456`
 - vCenter: Fixed issues with wrong log level. `RCP-381`
 - Fixed several general minor issues. `RCP-591` `RCP-634`
- Resolved issues with users logging in via Keycloak not automatically assigned to initial tenant. `RREP-1228`
- Fixed export format options missing in Fullscreen Mode. `RREP-742`
- Fixed several localization issues in German and French UI. `RREP-1014` `RREP-1167` `RREP-1230` `RREP-1321` `RCP-517`
`RREP-1337` `RREP-1076` `RREP-1259` `RREP-1257` `RREP-1263` `RREP-995` `RREP-996`